Application No.: NEW Docket No.: 1155-0289PUS1

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A polyester resin (A) comprising

(a-1) 45 to 99% by mole of an oxycarboxylic acid unit having 5 carbon atoms or less,

(a-2) 0.5 to 27.5% by mole of an aromatic dicarboxylic acid unit,

(a-3) 0.5 to 27.5% by mole of an aliphatic diol unit having 4 carbon atoms or less,

based on 100% by mole of the total constituent units, and containing the oxycarboxylic acid unit having 5 carbon atoms or less (a-1), the aromatic dicarboxylic acid unit (a-2) and the aliphatic diol unit having 4 carbon atoms or less (a-3) in a total amount of 95% by mole or greater,

wherein the relationship between the content of the oxycarboxylic acid<u>unit</u>, expressed as M% by mole, and the density of the polyester resin, expressed as ρ (kg/m³), satisfies the following Formula 1:

[Formula 1]

 $\rho \ge 1349 + M \times 0.85$.

2. (Currently amended) The polyester resin (A) according to claim 1, wherein the oxycarboxylic acid unit having 5 carbon atoms or less is glycolic acid unit.

11 MSW/smt

Application No.: NEW Docket No.: 1155-0289PUS1

3. (Original) The polyester resin (A) according to claim 1, wherein the aromatic dicarboxylic acid unit is at least one dicarboxylic acid unit selected from isophthalic acid, 2,6-naphthalenedicarboxylic acid and terephthalic acid.

4. (Currently amended) A molded product formed from a laminate having at least a layer comprising an oxycarboxylic acid-copolymerized polyester resin (A) and a layer comprising crystalline polyester resin (B):

(A): the oxycarboxylic acid-copolymerized polyester resin which contains 45 to 99% by mole of an oxycarboxylic acid unit having 5 carbon atoms or less based on 100% by mole of the total constituent units, contains the oxycarboxylic acid unit having 5 carbon atoms or less, an aromatic dicarboxylic acid unit and an ethylene glycol unit in a total amount of 95% by mole or greater, and satisfies the following Formula (1):

[Formula 1]

$$\rho \ge 1349 + M \times 0.85$$

wherein ρ is the density (kg/m³), and M is the content of the oxycarboxylic acid unit (% by mole).

5. (Original) The molded product according to claim 4, wherein the copolymerized polyester resin (A) contains 0.5 to 27.5% by mole of the aromatic dicarboxylic acid unit and 0.5 to 27.5% by mole of the ethylene glycol unit.

12 MSW/smt

Application No.: NEW Docket No.: 1155-0289PUS1

6. (Currently amended) A laminate The molded product according to claim 4, wherein the crystalline polyester resin (B) is a polyester selected from the group consisting of polyethylene terephthalate, polytrimethylene terephthalate, polybutylene terephthalate, polyethylene-2,6-naphthalate and polyethylene isophthalate.

7. (Original) The molded product according to any one of claims 4 to 6, having a structure wherein the layer comprising the polyester resin (A) is interposed between the layers comprising the crystalline polyester resin (B).

13 MSW/smt